



# **Indirizzi per la verifica climatica dei progetti infrastrutturali in Italia per il periodo 2021-2027**

VII incontro

**DPCoe-JASPERS-MASE**

12 Luglio 2024, ore 10:00-13:00

---

## Programma dell'incontro

- h. 10:00 - Apertura (DPCOES)
- h. 10:05 - Presentazione nuove Linee Guida e tools JASPERS (JASPERS)
  - Linee guida settoriali (trasporti, energia, rifiuti urbani) per la valutazione della resilienza climatica: - *JASPERS sectoral adaptation guidance for climate resilience assessment.*
  - Strumenti per la valutazione della resilienza climatica per progetti di piccole dimensioni: acquedotti e impianti per acque reflue, rigenerazione urbana, edifici. - *JASPERS tools for simplified climate resilience assessment for small projects.*
- h. 11:35 - Sistemi di gestione del climate proofing a confronto: le esperienze delle Regioni (Regione Campania, Regione Lombardia,...)
- h. 12:45 - Varie ed eventuali (DPCOES)
- h. 12:55 - Chiusura





## **Presentazione nuove Linee Guida e tools JASPERS (JASPERS)**

Linee guida settoriali (trasporti, energia, rifiuti urbani)  
per la valutazione della resilienza climatica

---

*JASPERS sectoral adaptation guidance  
for climate resilience assessment*



# Support for the Development of Practical Sectoral Guidance on Climate Resilience Proofing

12<sup>th</sup> July 2024

**Rallis Kourkoulis**



# SUPPORTING TOOLS

## Guidance Document

- **Overview of the Climate Resilience Proofing Methodology and practical guidance:** Resources, Assessment steps, Scoring systems, Expected outputs and practical insights
  - **Sectoral Climate Resilience Guidance for 3 Sectors**
    - Sensitivities of the examined systems to key climate hazards
    - Climate impacts and potential consequences (that are particular to examined sectors)
    - Detailed list of adaptation measures
- A step-by-step climate proofing example** for a fictitious energy project



## Climate Proofing Tool

- **Developed for small-scale projects**
- **3 instances:** Buildings, Water & Waste Projects, Urban Regeneration Projects
- Uses empirical indicators/questionnaires to describe exposure and climate sensitivities
- Automatically scores vulnerabilities/risks based on users' input
- Checks the efficiency of adaptation measures

# SECTORAL GUIDANCE



## ENERGY SECTOR

- **Electricity T&D Networks**  
Transformers, substations, conductors, overhead lines.
- **Wind Farms**  
Onshore/ offshore wind turbines, substations, cables, metering equipment
- **Solar Parks**  
Panels, Inverters, cables, metering equipment
- **District Heating**  
Combustion System, Boilers, Water tanks, fuel conveyor, control system
- **Green Hydrogen Electrolysers**  
Electrolyser, Storage Tanks, Control system
- **Battery Energy Storage Systems**  
Batteries, Inverter, BMS, transformers



## MUNICIPAL SOLID WASTE MANAGEMENT

- **Separate Waste Collection & Transport Schemes**  
Collection points, containers, vehicles, personnel, municipal roads
- **Recovery & Recycling Facility – Mechanical Separation**  
Mills, air sorters, blowers, controllers, **Anaerobic Digestion** (Storage/ feed equip., digester, separator, compressor, storage tanks) **Aerobic Biological Treatment** (Composting infra, sorting equip., storage facilities, filters, controllers)
- **Dumpsite Rehabilitation**  
Earthworks, geomembranes, metering equip., access roads




## TRANSPORT SECTOR


- **Urban Transport**  
Vehicles, stations, bicycle routes, parking lots & equipment, depots
- **Roads**  
Pavements, Bridges, surface/subsurface drainage, earthworks
- **Railways**  
Trains, ballasts, railbeds, station buildings, waiting areas, signalling equipment.
- **Ports**  
Wharves, piers, cargo storage, handling equip., transport links

# CLIMATE PROOFING FLOWCHART

## PHASE 1: SCREENING




## PHASE 2: DETAILED ANALYSIS



# APPRAISAL METHODS


## Phase 1. Screening



### EXPOSURE

Assesses whether the project location lies within the **potential threat zone** of a climate hazard


**X**



### SENSITIVITY

Assesses the **proneness of a project to be impacted by hazard** (when exposed to it)

**=**



### VULNERABILITY

Assesses the potential of experiencing damage/failures

## Phase 2. Detailed Analysis

### Likelihood Analysis

Frequency/probability of occurrence

**X**

### Impact Analysis

Estimates the severity of the impacts

**=**

### Risk Analysis

Identifies significant climate risks to the project



# Climate Hazards

## Acute Hazards

## Chronic Hazards



### Temperature related

#### Heat waves

Extreme temperature & Duration

#### Cold spells / frost

Extreme temperature & Duration

#### Wildfires

#### Drought

#### Fog\*

#### Changes in temperature patterns

e.g. Annual/ monthly/daily average temperatures

#### Temperature variability

e.g. Maximum and minimum daily temperatures

#### Permafrost thawing

#### Freeze/thaw cycle\*



### Wind related

#### Storms

including blizzards, and sand-storms

#### Tornados

#### Cyclone, hurricane, typhoon

#### Changing wind patterns

-Maximum annual/monthly/daily wind speed

-Maximum wind gust speeds per month/year



### Water related

#### Floods

Including coastal, fluvial, pluvial floods

#### Heavy rainfall & hail

Duration, total downpour

#### Extreme Tide and Storm Surge

#### Extreme snowfall

#### Changes in precipitation patterns

Annual/Monthly precipitation

#### Cloudiness

#### Sea level rise

#### Saline intrusion

Salinity/Groundwater level



### Soil related

#### Subsidence

Soil Instabilities & landslides

#### Coastal erosion

Soil erosion

# Phase 1. Screening


## Module 1 • Sensitivity Analysis

**Objective:** Determine the proneness of a project (or a project component) to be impacted by a hazard due to:

- Damaged assets operating at a sub-standard level
- Loss of essential input/outputs
- Unavailability of interconnected infrastructure

### Qualitative description of sensitivity levels (per examined sector)

	Low	Medium	High
On-site Assets	Assets may experience minor damage	Assets may experience moderate damage	Assets including expensive assets/equipment may experience major damage or failure.
Operations	Non-critical operations may temporarily be affected, but their repercussions are considered minimal.	Reduced functionality (or temporarily shutdown) of some utilities/ processes until inspections are performed.	Major equipment/facilities cannot operate and several process cannot be performed. The facility may need to completely shutdown until repairs are performed.
Input/Output	Not important effect on the energy production/ transmission/ distribution/ storage capacity.	Energy production/ transmission/ distribution/ storage capacity may temporarily decrease.	A major decrease in energy production/ transmission/ distribution/ storage may occur.
Interconnections	Insignificant/short in duration service disruptions of the supporting infrastructure	Loss of service of the supporting infrastructure affecting non-critical operations of the energy facility	Prolonged service disruptions impacting energy production



# Phase 1. Screening


## Module 1 • Sensitivity Analysis

**Objective:** Determine the proneness of a project (or a project component) to be impacted by a hazard due to:

- Damaged assets operating at a sub-standard level
- Loss of essential input/outputs
- Unavailability of interconnected infrastructure

**Output:** Global Sensitivity score per Hazard

Climate Hazards	Global Score	On-site assets	Input	Output	Interdependent Systems
Hazard 1	High	High	Low	Low	Medium
Hazard 2	High	High	Low	Low	Medium




# Phase 1. Screening

## Module 1 • Sensitivity Analysis

**Objective:** Determine the proneness of a project (or a project component) to be impacted by a hazard due to:


- Damaged assets operating at a sub-standard level
- Loss of essential input/outputs
- Unavailability of interconnected infrastructure



### Sensitivities of Biomass Heating: Example

Hazard	Sensitivities			
Heavy precipitation & Flooding	Short circuit or <b>electronic damages</b> when on-ground equipment gets wet.			
	<b>Uplift failure/upheaval buckling</b> of underground pipes creating operating issues.			
	Increased <b>heat-losses</b> in the distribution grid, due to increased moisture of the surrounding soil.			
	<b>Increased biomass moisture</b> (especially if stored in open space) reduces its energy value leading to <b>decreased energy production</b> .			
	<b>Flooded biomass storages</b> may disrupt heating/cooling operations.			
<b>High</b>	<b>On-site assets &amp; processes</b>	<b>Inputs</b>	<b>Outputs</b>	<b>Interdependent systems</b>
Saline intrusion	<b>Chemical corrosion</b> of underground pipes from saline groundwater.			
	Saline groundwater may create <b>unfavourable buoyancy conditions for buried pipes</b> causing structural damages.			
	Water input for thermal energy generation may be significantly affected by saline intrusion, impacting the overall <b>efficiency of the system and the cost of energy</b> .			
<b>High</b>	<b>On-site assets &amp; processes</b>	<b>Inputs</b>	<b>Outputs</b>	<b>Interdependent systems</b>

# Phase 1. Screening



## Module 2 • Exposure Analysis

**Objective:** To determine the climate hazards that are present or are expected to be present in the future in the project location.

STEP. 1


### Select spatial/temporal scale

- Intended lifespan of a project
- Geographic boundaries of the assessment


STEP. 2

### Select climate change scenarios

- Consider the Project's Lifespan
- Consider Recommendations of National Guidance



# Phase 1. Screening



## Module 2 • Exposure Analysis

**Objective:** To determine the climate hazards that **are present or are expected to be present in the future** in the project location.


### STEP. 3

#### Compilation of Climate Data

- **Current Exposure:** Historic record, local knowledge and experience, consultations with climate experts
- **Future Exposure:** National Climate Portals and other Climate Datasets

Indicative Resources	
Resources	Description
<a href="#">EEA provides an overview of the national and transnational climate atlases in Europe.</a>	National atlases contain spatially explicit information on past and projected climate change (including for different climate variables and/or hazards).
<a href="#">Copernicus Climate Change Service</a>	The Copernicus Climate Change Service (C3S) provides information on historical, current, and projected climate conditions both in Europe and globally through its Copernicus Climate Data Store (CDS).
<a href="#">WCRP CORDEX</a>	The Coordinated Regional Climate Downscaling Experiment is a framework aimed at addressing climate information needs at the regional level. It produces ensemble of climate simulations based on multiple dynamical and empirical-statistical downscaling models.
<a href="#">Flood Risk Area Viewer (europa.eu)</a>	Offers a tool that aims to increase awareness about flood risks. Users can observe regions of potentially significant flood risk and the varying approaches of flood protection across Member States..
<a href="#">The European Draught Risk Atlas</a>	Offers a detailed exploration of drought hazards across Europe, shedding light on their impacts on agriculture, public water supply, energy, and ecosystems.
<a href="#">Climate Change Knowledge Portal (CCKP)</a>	Offers global data encompassing historical and projected climate information through country profiles and watershed views.

# Phase 1. Screening




## Module 2 • Exposure Analysis

**Objective:** To determine the climate hazards that **are present or are expected to be present in the future** in the project location.

### STEP. 4 Indicative characterization of Exposure Level (Current & Future)

Exposure Level	Acute Hazards	Chronic Hazards
Low	The project is located in an area where hazard has occurred or expected to occur <b>rarely</b>	The rate of change is low. Observable change within a time horizon exceeding the timeframe of the assessment.
Medium	The project is located in an area where hazard has occurred or expected to occur <b>a few times during the project's lifetime</b>	The rate of change is moderate. Observable change within a time horizon that may be observable during the project's lifetime
High	The project is located in an area where hazard has occurred or expected to occur <b>often during the project's lifetime.</b>	The rate of change is rapid. A significant change is expected within the project's useful life.

# Phase 1. Screening



Are there any significant climate vulnerabilities warranting detailed analysis?

IF YES

Detailed assessment is required

## Module 3 • Vulnerability Analysis

**Objective:** To determine the predisposition of a project to be adversely affected by climate change-induced hazards

- For different hazards

VULNERABILITY MATRIX		PROJECT EXPOSURE		
		Low	Medium	High
GLOBAL SENSITIVITY	Low			
	Medium		Flood (current)	
	High	Wind (current)		


- For current and future climate

VULNERABILITY MATRIX		PROJECT EXPOSURE		
		Low	Medium	High
GLOBAL SENSITIVITY	Low			
	Medium			Flood (future)
	High	Wind (future)		




## **Phase 2. Detailed Analysis**

# Phase 2. Detailed Analysis



## Module 4 • Likelihood Analysis

**Objective:** To determine the probability of a hazard to occur during the lifetime of the project



### Qualitative assessment

Scores the likelihood of experiencing a **potentially disruptive event** within the specified timeframe

Level	Score	Qualitative	Probability of occurrence
Rare	1	Highly unlikely	0-10 %
Unlikely	2	Unlikely	11-30 %
Moderate	3	Possible	31-60 %
Likely	4	Likely	61-90 %
Almost certain	5	Very likely	91-100 %




### Quantitative assessment

- Is performed by experts
- Entails site-specific hazard analysis
- Associates climate events with a probability of occurrence
- Is recommended for significant projects

# Phase 2. Detailed Analysis

## How to assign likelihoods to future climate trends?



- Climate projections **do not follow historic trendlines**
- How the climate will evolve depends on future policies, technological developments, international agreements and climate sensitivities, all of which are **notoriously hard to predict.**


### RECOMMENDATION

- Expert judgement
- IPCC Guidance: correlates the confidence level with a quantitative expression of likelihood (e.g., x% occurring)
- Small Projects – Climate-Change Multipliers(CCM)**

Future Likelihood  
 ||  
 Current Likelihood x CCM


Hazard indicator	Decreasing trend		Increasing trend	
	Low change	High change	Low change	High change
<b>Climate Change Multiplier</b>	1.0	0.8	1.2	1.5

# Phase 2. Detailed Analysis



## Module 5 • Impact Analysis

**Objective:** To appraise/estimate the consequences of a hazard across several Risk Areas (RA): **Damage/Operations** ♦ **Safety & Health** ♦ **Environment** ♦ **Social** ♦ **Financial Impacts** ♦ **Reputation**



### Qualitative assessment

- Can be performed by non-experts
- Scores the severity of impacts based on a qualitative description of impacts

1	2	3	4	5
Insignificant	Minor	Moderate	Major	Catastrophic
Slight damages   <b>No consequences</b> to project's operations.	Consequences can be alleviated by performing <b>standard business continuity actions</b> .	The project's operations are impacted requiring the activation of <b>emergency protocols</b> .	The project's operations are severely impacted. Restoration of business continuity requires <b>extraordinary actions</b> .	Disastrous consequences incl. <b>permanent shut-down</b> and/or total loss of the project's assets



### Quantitative assessment


- Is performed by experts
- Calculates Losses per event and annualized (*aggregating losses from all possible events affecting the project normalized by their probability of occurrence*)
- Converts Losses to Likelihood Scores

1	2	3	4	5
Insignificant	Minor	Moderate	Major	Catastrophic
Asset damage <5% of TRC	Asset damage 5-10% of TRC	Asset damage 10-25% of TRC	Asset damage 25-50% of TRC	Asset damage >50% of TRC
Immediate Recovery	Recovery time: few days	Recovery time: several days (e.g., 5-10days)	Recovery process is slow (e.g. 20-100 days)	Recovery time is indefinite.

# Phase 2. Detailed Analysis

## Module 5 • Impact Analysis


**Objective:** To appraise/estimate the consequences of a hazard across several Risk Areas (RA): **Damage/Operations** ♦ **Safety & Health** ♦ **Environment** ♦ **Social** ♦ **Financial Impacts** ♦ **Reputation**



RISK AREAS	1 Insignificant	2 Minor	3 Moderate	4 Major	5 Catastrophic
<b>RA2: Safety &amp; Health</b>	First aid case	Minor injuries	Serious injuries or work loss	Major/multiple injuries and disabilities	Single or multiple fatalities
<b>RA3: Environment</b>	Impacts are localised in the source area	Impacts are localised within the site	Moderate harm with possible wider effects.	Significant harm with local effects. Long recovery.	Significant harm with widespread effect. Longer recovery > 1 year
<b>RA4: Social</b>	No negative social impacts	Localised temporary social impacts.	Localised, long-term social impacts.	Failure to protect vulnerable groups. Nation-wide, long-term social impacts.	Loss of social license to operate
<b>RA5: Financial impacts</b>	Direct and indirect costs < 2% of annual turnover.	< 2-10% of annual turnover	< 10-25% of the annual turnover	< 25-50% of annual turnover	> 50% of annual turnover.
<b>RA6: Reputation</b>	Local, temporary impacts on public opinion	Short-term impacts on public opinion	Negative coverage on local media	Nation-wide, short-term impacts on public opinion	Political instability
<b>RA7: Cultural Heritage</b>	Insignificant damage	Slight damage that can be recovered/ repaired	Serious damage with wider impact to tourism industry	Significant damage, nation-wide consequences	Permanent loss


# Phase 2. Detailed Analysis

## Module 6 • Climate Risk Analysis



$$\text{RISK} = \text{LIKELIHOOD} \times \text{IMPACT}$$

Risk	Insignificant	Low	Medium	High	Extreme
Score	1-2	3-6	7-10	11-16	17-25
Criticality-weighted Score	1-10	11-30	31-50	51-80	81-125





# Phase 2. Detailed Analysis

## Module 7 • Climate Adaptation Plan

STEP.  
1

### Selection of Adaptation Measures



#### STRUCTURAL MEASURES

A physical change to the de  
project re-location



#### NON-STRUCTURAL MEASURES

Soft-engineering measures  
monitoring or early warning




#### OPERATIONAL MEASURES

Closing/limiting service unde  
maintenance activities; back



- Example adaptation measures for all sectors/typologies examined.
- Adaptation measures presented per hazard category /implementation phase
- Recommendations for Adaptive planning (measures implemented based on indicators monitoring)

# Phase 2. Detailed Analysis



## Module 7 • Climate Adaptation Plan

STEP.  
1

**Selection of Adaptation Measures**

STEP.  
2

**Appraisal of Adaptation Measures (indicative process)**

**Cost-Benefit Analysis (CBA\*)** - requires the monetization of benefits

### Costs

- CAPEX of the adaptation
- O&M costs

### Benefits

- **Loss reduction:** reduced cost of repairs + reduced loss from operational disruption
- **Other Benefits:** environmental, health benefits etc

➤ Ranking based on BCR


**Expert Judgement and/or Multi-Criteria Analysis (MCA)** – depending on the scale and importance of the project

➤ Ranking based on weighting criteria

\* Mostly applicable to large projects



# Phase 2. Detailed Analysis



## Module 7 • Climate Adaptation Plan

- STEP. 1** Selection of Adaptation Measures
- STEP. 2** Appraisal of Adaptation Measures
- STEP. 3** Implementation Plan


### Immediate Adaptation (performed at the project outset)

- Risk of maladaptation

**Adaptive (phased) Adaptation** – Monitor the situation and only implement physical measures when the situation reaches a critical threshold

- Robust monitoring plan; Trigger-Action Plan; Continuous re-assessments

# Phase 2. Detailed Analysis



## Module 8 • Monitoring Plans

### Asset Management

A platform for storing, organizing, managing and reviewing data

### Preventive Module

Monitors the live asset condition and applies advanced analytics to predict response in future climate events enabling preventive maintenance actions.

### Early Warning System

Gathers real-time hazard data, provides rapid damage diagnosis, and informs evacuation plans



### Climate Registry

- Dataset of climate incidents (climate data; repair costs, performance logs)
- Climate Sensor indicators & thresholds allowing the classification of events using a standardized procedure


### Climate Auditing

Measures the accomplishment of climate-proofing targets using mutually agreed/objective KPIs

# Phase 2. Detailed Analysis

## Module 9 • Verification of Consistency

**Objective:** To verify the project's compatibility with the country's resilient development pathway



### Project Scope

The project aligns with the climate adaptation strategy outlined in NAPs (<https://climate-adapt.eea.europa.eu/en>), and relevant regional or local adaptation plans and strategies (as applicable)



### Outcome

the project complies with the prescribed sector-specific criteria, addresses climate risks and has taken the necessary measures to avoid cases of maladaptation.



## **Presentazione nuove Linee Guida e tools JASPERS (JASPERS)**

Strumenti per la valutazione della resilienza climatica per  
progetti di piccole dimensioni: acquedotti e impianti per  
acque reflue, rigenerazione urbana, edifici

---

*JASPERS tools for simplified climate  
resilience assessment for small projects*



# Climate Resilience Proofing Tool for small-scale projects

12<sup>th</sup> July 2024

**Fani Gelagoti, PhD**




# WHY USING THE TOOL ?

---

- 01** To perform a qualitative assessment of **climate threats** potentially affecting the project.
- 02** To observe the various ways the project may be impacted by climatic threats and understand their **potential impacts**.
- 03** To think of different ways to **make the infrastructure resilient** to the potential significant climate risks.
- 04** To comply with the EU Climate Proofing Guidance/ Regulation and become **eligible for European funding** (e.g., InvestEU, CEF, ERDF, JTF).

.

# TOOL INSTANCES



# SMALL SCALE-PROJECTS

Buildings



Water & Waste



Urban Regeneration



The definitions of small-scale projects are subject to variations based on **country-specific context and regulation.**



# KEY FEATURES

---

An excel-based tool featuring:

A set of questions used to **collect users' experiences with weather events** and based on the responses calculate **exposure scores**.



A set of questions used to **collect users' experiences with weather impacts** on similar projects/ structures and based on the responses calculate **sensitivity scores**.



A comprehensive list of **cost-efficient interventions 'Adaptation measures'** (particular to the hazard classes considered) that can be applied to increase climate resilience.



**Build-in functions** that can automatically compile the **risk profile of the project** to different hazard classes and threats – before and after implementation of the adaptation measures.



# USER GUIDE



Introduction to the Tool



Illustrative presentation of climate impacts



Description of Tool Capacities & Limitations



Step-by-step instructions



Glossary of Climate Adaptation terms



## CLIMATE RESILIENCE PROOFING OF BUILDINGS

### A TOOL FOR PROJECT PROMOTERS

#### WHAT IS CLIMATE-PROOFING FOR BUILDINGS?



##### A PLANNING CONSIDERATION

Climate proofing is the action taken to protect buildings and their occupants from climate change related events. The process aims to increase the resilience of buildings and minimize the potential negative impacts of climate change by employing, if required, an array of adaptation measures.



##### A 4-STEP PROCESS

that includes: (1) recognition of potentially harmful weather conditions for the building and their occupants (currently and in the future), (2) identification of sensitive building components that are most prone to sustain damage or cease operation when exposed to climate change related events; (3) understanding of their potential consequences and the likelihood of experiencing them; (4) adaptation planning



##### A LIFE-CYCLE APPROACH

that foresees the integration of adaptation measures in the planning, design and operation of the building.

#### WHY PERFORM CLIMATE-PROOFING?

- To proactively advise on measures and strategies that aim to increase the building's ability to withstand extreme weather events and adapt to the changing climate conditions of the future.
- To fulfill the requirements set out in the legislation for several EU funds such as InvestEU, Connecting Europe Facility (CEF), European Regional Development Fund (ERDF), Cohesion Fund (CF) and the Just Transition Fund (JTF).
- To reduce the economic losses from weather and climate-related extremes.
- To ensure continuity of operation even under adverse climate conditions.
- Because the implementation of adaptation measures is less expensive when performed at the early planning stage of the project.

# HAZARD CLASSES

## WATER HAZARDS

**Extreme rainfall** causing flooding  
**River and coastal floods** submerging low-lying areas  
Long term **changes in the precipitation**



## TEMPERATURE HAZARDS

**Heatwaves** and prolonged periods of droughts  
**Cold spells**, extreme snowfalls  
**Wildfires**  
\* Changes in the **average annual temperatures** and number of days with zero-crossing



## SOIL HAZARDS

**Landslides** & land subsidence  
\* **Seawater intrusion** in the groundwater table of coastal areas




## EXTREME WINDS

**Wind Gusts**, **Tornadoes**  
**Hurricanes**



# TOOL NAVIGATOR

Assessment is performed in consecutive cycles & steps



STEP 01

## Hazard Exposure



### ► Flooding

Questions	[0-3]
	Provide Score
Is the building constructed on a floodplain, wetland or a low-lying barrier?	3
Is the building constructed on a river-bank?	3
Has the area experienced significant flooding in recent history?	3
Are the access routes or the supply chain of the facility crossing flood plains?	2

**Flood Exposure Score: 2.75**

### Climate Change Projections


Questions	[0.8-1.5]
	Provide Score
<b>All sites:</b> Will the region experience heavier and more frequent storms in the future?	1.3
<b>Low-lying regions closed to river and lakes:</b> Is the risk of river flooding expected to increase?	0
<b>Coastal sites:</b> Is the risk of coastal flooding expected to increase?	0

**Future Flood Exposure Score: 3.00**

### ►► Next Water-related Hazard

# TOOL NAVIGATOR

Assessment is performed in consecutive cycles & steps



## STEP 02 Sensitivity Assessment

- Select Assessment Type: Single-Component or Multiple-Components
- Select Project Type (from available categories)
- Select 'Active' Components

### ➤ Sensitivity

		Example from Buildings	
Question	Score	User input	
Based on past experience, will the asset remain functional or (sustain minor damage) in a flood?	[0: Yes   3: No ]	3	
Does the design prevent water from entering the building interior?	[0: Yes   3: No ]	3	
Can the building withstand high water levels and hail?	[0: Yes   3: No ]	3	
Is the building elevated or is the office/shop located at a higher floor?	[0: 2nd floor or higher   1 = 1st floor   2: GF   3: Basement ]	2	
		<b>HIGH</b>	<b>2.75</b>

### ➤ Adaptive Capacity


Question	Score	User input
Have any of the recommend adaptation measures of been included in the design?	3: All   2: Some  1: Few   0:No ]	1
Is the building/flat equipped with battery-powered pumps?	[0: Yes   3: No ]	0

Updated Sensitivity Score: **HIGH** 2.3

- Repeat the process for all 'Active' Components & Interconnected Infrastructure

# TOOL NAVIGATOR

Assessment is performed in consecutive cycles & steps



STEP 03

## Risk Assessment



### ➤ Single-Component Assessment

Component	Sensitivity	Exposure	Risk	
	[0-3]	[0-3]	[0-9]	[Low   Medium   High]
Single Component - Simplified Assessment	2.3	3.0	<b>6.87</b>	<b>High</b>

### ➤ Multiple-Component Assessment


Component	Sensitivity	Exposure	Risk	
	[0-3]	[0-3]	[0-9]	[Low   Medium   High]
Building Shell	3	2.25	<b>6.75</b>	<b>High</b>
Heating Ventilation & Air-conditioning	3	2.25	<b>6.75</b>	<b>High</b>
IT equipment and Networks	2	2.25	<b>4.5</b>	<b>Medium</b>
Classrooms	1	2.25	<b>2.25</b>	<b>Low</b>
Indoor gym	3	2.25	<b>6.75</b>	<b>High</b>
Computer Labs	2	2.25	<b>4.5</b>	<b>Medium</b>
Schoolyard	2	2.25	<b>6.75</b>	<b>Medium</b>

### Interconnections

Component	Sensitivity	Exposure	Risk	
	[0-3]	[0-3]	[0-9]	[Low   Medium   High]
Supply Network	0	2.25	<b>0</b>	<b>Low</b>
Transport Links	0	2.25	<b>0</b>	<b>Low</b>
Municipal storm & sewer systems	0	2.25	<b>0</b>	<b>Low</b>

# TOOL NAVIGATOR

## Waterproof coating on exterior walls



STEP  
04

## Adaptation Measures




➤ Review/ Select Adaptation Measures for Flood

Adaptation Measures	Efficiency	Cost Estimate
Ensure that the building is seated <b>outside future storm paths</b> and floodplains	High	<b>Inexpensive</b> (if performed during the planning stage)
<b>Suspend</b> , raise, or floodproof E&M equipment and pipes above the base flood elevation level	Low	<b>Inexpensive</b>
Install a <b>pumping system</b> ensuring availability of backup power	Low	<b>Inexpensive</b>
Apply <b>foundation/roof waterproofing</b> (e.g., vapor barriers; land drainage)	High	<b>Inexpensive</b>
For buildings located in coastal regions: apply open foundation design and increase the <b>free-board space</b> above future flood levels.	High	<b>Expensive</b>
Extend the fuel storage capacity for main and <b>backup generators</b>	High	<b>Inexpensive</b>

Excerpt from Buildings

# TOOL NAVIGATOR

## Building with increased free-board space



Note: pile layout, bracing, and pile-to-beam connections must be designed by an engineer

#1

STRATEGY

STEP 04

## Adaptation Measures



➤ Review/ Select Adaptation Measures for Flood

Adaptation Measures	Efficiency	Cost Estimate
Ensure that the building is seated <b>outside future storm paths</b> and floodplains	High	<b>Inexpensive</b> (if performed during the planning stage)
<b>Suspend</b> , raise, or floodproof E&M equipment and pipes above the base flood elevation level	Low	<b>Inexpensive</b>
Install a <b>pumping system</b> ensuring availability of backup power	Low	<b>Inexpensive</b>
Apply <b>foundation/roof waterproofing</b> (e.g., vapor barriers; land drainage)	High	<b>Inexpensive</b>
For buildings located in coastal regions: apply open foundation design and increase the <b>free-board space</b> above future flood levels.	High	<b>Expensive</b>
Extend the fuel storage capacity for main and <b>backup generators</b>	High	<b>Inexpensive</b>

Excerpt from Buildings

➤ Check Performance of Adaptation


	Building Shell	HVAC	IT equip.	Classrooms	Gym	Computer Labs	School yard
	High	High	Medium	Low	High	Medium	Medium
Foundation water-proofing	High				High	High	
<b>Residual Risk</b>	Low	High	Medium	Low	Low	Low	Medium

! Unmitigated Risks



# TOOL NAVIGATOR

Assessment is performed in consecutive cycles & steps



#2  
STRATEGY

## STEP 04 Adaptation Measures



➤ Review/ Select Adaptation Measures for Flood

Adaptation Measures	Efficiency	Cost Estimate
Ensure that the building is seated <b>outside future storm paths</b> and floodplains	High	<b>Inexpensive</b> (if performed during the planning stage)
<b>Suspend</b> , raise, or floodproof E&M equipment and pipes above the base flood elevation level	Low	<b>Inexpensive</b>
Install a <b>pumping system</b> ensuring availability of backup power	Low	<b>Inexpensive</b>
Apply <b>foundation/roof waterproofing</b> (e.g., vapor barriers; land drainage)	High	<b>Inexpensive</b>
For buildings located in coastal regions: apply open foundation design and increase the <b>free-board space</b> above future flood levels.	High	<b>Expensive</b>
Extend the fuel storage capacity for main and <b>backup generators</b>	High	<b>Inexpensive</b>

Excerpt from Buildings


➤ Check Performance of Adaptation

	Building Shell	HVAC	IT equip.	Classrooms	Gym	Computer Labs	School yard
	High	High	Medium	Low	High	Medium	Medium
Foundation water-proofing	High				High	High	
<b>Back-up generators</b>		High	High				
<b>Residual Risk</b>	Low	Low	Low	Low	Low	Low	Medium

✓ Climate Proofing successful

# TOOL NAVIGATOR

Assessment is performed in consecutive cycles & steps



## OUTPUT

**BEFORE** the implementation of Adaptation Measures


Climate Threats	Heatwaves	Wildfires	Extreme Cold	Flooding	Landslides	Extreme Wind
Average building Risk	Medium	Low	Medium	High	Low	Low

+

- For multiple-component assessments the tool provides a list of high-risk components for the various hazards examined.

# TOOL NAVIGATOR

Assessment is performed in consecutive cycles & steps



## OUTPUT

### BEFORE the implementation of Adaptation Measures

Climate Threats	Heatwaves	Wildfires	Extreme Cold	Flooding	Landslides	Extreme Wind
Average building Risk	Medium	Low	Medium	High	Low	Low

### AFTER the implementation of Adaptation Measures

Climate Threats	Heatwaves	Wildfires	Extreme Cold	Flooding	Landslides	Extreme Wind
Updated Risk	Low	Low	Low	Low	Low	Low

Summary of implemented adaptation measures for each hazard considered

# Demonstration Example

A year-round restaurant in Athens with indoor and outdoor seating



**Sistemi di gestione del  
climate proofing a confronto:  
le esperienze delle Regioni**

---



## **Varie ed eventuali**

---

### **(DPCOES)**



**Grazie della partecipazione**